## **Neuro** *Images*

VIDEO

## Asymmetric freezing of gait in hemiparkinsonism-hemiatrophy

Phil Hyu Lee, MD, Uk Sik Joo, MD, Suk Woo Yong, MD, and Kyoon Huh, MD, Paldal-Ku, Siwon, South Korea

A 62-year-old man presented with a 2-year history of dyskinesia and a 10-month history of gait difficulty. He had developed circumferential gait of the left leg at the age of 40 years. About 2 years later, he experienced slowness and stiffness with dystonic posturing of the left hand. When examined he had a mild left hemifacial and hand atrophy. There was marked rigidity, bradykinesia, and a 4-6 Hz resting tremor in the left extremities. When

Correspondence and reprint requests to Dr. Phil Hyu Lee, Department of Neurology, School of Medicine, Ajou University, Woncheon-dong San 5, Paldal-Ku, Suwon, 442-749, South Korea; e-mail: phisland@chol.net

he walked, he had circumduction of the left leg with ankle inversion and dystonic posturing of the left hand and foot as well as markedly decreased arm swing. His gait was frequently interrupted by unpredictable freezing, leading to immobilization. This freezing occurred most frequently when he turned to the left (see video  $\,$  clip). Brain MRI was normal. Hemiparkinsonismhemiatrophy was diagnosed.

Freezing of gait (FOG) is a disabling gait disturbance associated with various types of parkinsonism.1 As a midline symptom affecting both legs, FOG is known to affect gait symmetrically. As suggested by Giladi,2 however, our patient clearly demonstrated unilateral FOG, ipsilateral to the side of parkinsonism.

- 1. Giladi N, McMahon D, Przedborski S, et al. Motor blocks in Parkinson's disease. Neurology 1992;42:333–339.
- 2. Giladi N. Freezing of gait: clinical overview. Adv Neurol 2001;87:191-



## Asymmetric freezing of gait in hemiparkinsonism-hemiatrophy

Phil Hyu Lee, Uk Sik Joo, Suk Woo Yong, et al. *Neurology* 2004;63;E7 DOI 10.1212/01.WNL.0000134881.82983.BE

## This information is current as of July 26, 2004

**Updated Information &** including high resolution figures, can be found at:

Services http://n.neurology.org/content/63/2/E7.full

**Supplementary Material** Supplementary material can be found at:

http://n.neurology.org/content/suppl/2004/07/07/63.2.E7.DC1 http://n.neurology.org/content/suppl/2004/07/07/63.2.E7.DC2

**References** This article cites 2 articles, 1 of which you can access for free at:

http://n.neurology.org/content/63/2/E7.full#ref-list-1

Citations This article has been cited by 1 HighWire-hosted articles:

http://n.neurology.org/content/63/2/E7.full##otherarticles

**Subspecialty Collections** This article, along with others on similar topics, appears in the

following collection(s): Gait disorders/ataxia

http://n.neurology.org/cgi/collection/gait\_disorders\_ataxia

Parkinson's disease/Parkinsonism

http://n.neurology.org/cgi/collection/parkinsons\_disease\_parkinsonism

**Permissions & Licensing** Information about reproducing this article in parts (figures, tables) or in

its entirety can be found online at:

http://www.neurology.org/about/about the journal#permissions

**Reprints** Information about ordering reprints can be found online:

http://n.neurology.org/subscribers/advertise

*Neurology* ® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright . All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.

