

Section Editor Mitchell S.V. Elkind, MD, MS

Teaching Neuro*Images*: Cerebral adrenoleukodystrophy

A rare adult form

Rania A. Elenein, MD Sunil Naik, MD Stephanie Kim, MD Vineet Punia, MD Karin Jin, MD

Correspondence to Dr. Elenein: raniadml@yahoo.com or abouera@umdnj.edu. A 42-year-old man with Addison disease presented to the emergency department with unsteady gait for 1 year. A half-brother had epilepsy and difficulty walking, and died at 6 years of age. Another half-brother has a longstanding gait disorder. Over 3 to 4 months, his gait has become worse with marked stiffness, ataxia, and dysarthria. Neurologic examination demonstrated saccadic pursuit, ocular flutter, severe spasticity throughout, peripheral neuropathy, hyperreflexia, clonus, with bilateral extensor plantar reflexes, marked dysmetria, and dysdiadochokinesia. He stands with a marked forward stoop and flexed knees. MRI is shown in figures 1 and 2. The plasma concentration of very-long-chain fatty acids, which is a general test for peroxisomal disorders, was elevated, confirming the diagnosis of adrenoleukodystrophy (ALD). Very-long-chain fatty acids were also elevated in the surviving brother's plasma. Adult cerebral ALD is extremely rare. It is an X-linked peroxisomal disorder caused by mutation in the *ABCD1* gene located at Xq28 and involves the nervous system, adrenal cortex, and Leydig cells in the testes.^{1,2}

STUDY FUNDING

No targeted funding reported.


DISCLOSURE

The authors report no disclosures relevant to the manuscript. Go to Neurology.org for full disclosures.

REFERENCES

- Moser H, Dubey P, Fatemi A. Progress in X-linked adrenoleukodystrophy. Curr Opin Neurol 2004;17:263–269.
- Moser HW, Raymond GV, Dubey P. Adrenoleukodystrophy: new approaches to a neurodegenerative disease. JAMA 2005; 294:3131–3134.

Figure 1 Axial fluid-attenuated inversion recovery of brain MRI




Hyperintensity in the cerebellum, middle cerebellar peduncles, pons, cerebral peduncle, internal capsule, and genu of corpus callosum

From the UMDNJ-New Jersey Medical School, Newark, NJ.

Go to Neurology.org for full disclosures. Funding information and disclosures deemed relevant by the authors, if any, are provided at the end of the article.

Figure 2 Brain MRI with gadolinium



Gadolinium enhancement of the cerebellum, middle cerebellar peduncles, pons, cerebral peduncle, internal capsule, and genu of corpus callosum.



Teaching Neuro Images: Cerebral adrenoleukodystrophy: A rare adult form

Rania A. Elenein, Sunil Naik, Stephanie Kim, et al. Neurology 2013;80;e69-e70 DOI 10.1212/WNL.0b013e3182815416

This information is current as of February 4, 2013

Updated Information & including high resolution figures, can be found at: **Services** http://n.neurology.org/content/80/6/e69.full

References This article cites 2 articles, 0 of which you can access for free at:

http://n.neurology.org/content/80/6/e69.full#ref-list-1

Subspecialty Collections This article, along with others on similar topics, appears in the

following collection(s):

All Demyelinating disease (CNS)

http://n.neurology.org/cgi/collection/all_demyelinating_disease_cns

All Genetics

http://n.neurology.org/cgi/collection/all_genetics

MRI

http://n.neurology.org/cgi/collection/mri

Permissions & Licensing Information about reproducing this article in parts (figures, tables) or in

its entirety can be found online at:

http://www.neurology.org/about/about the journal#permissions

Reprints Information about ordering reprints can be found online:

http://n.neurology.org/subscribers/advertise

Neurology ® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2013 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.

