Teaching NeuroImage: Reinhold Hemimedullary Syndrome


Praveen Kesav, MD, DM, PDF, Syed Irteza Hussain, MD, Seby John, MD, Zafar Sajjad, MD, and Anu Jacob, MD, DM, FRCP

Neurology® 2023;100:490-491. doi:10.1212/WNL.0000000000201686

Correspondence

Dr. Kesav drpkesav@gmail.com

Figure Classical Hemimedullary Syndrome of Reinhold



Noncontrast brain MRI showing hyperintense signal involving the left hemimedulla on diffusion-weighted imaging (A; black arrow) with corresponding hypointensity on apparent diffusion coefficient sequences (B; black arrow), suggestive of acute infarct. Coronal section of CT cerebral angiogram demonstrating nonvisualization of the left vertebral artery V4 segment (C; white arrow) and intact basilar artery flow distally (E; white arrow). Abrupt occlusion of the left vertebral artery V4 segment shown on the three-dimensional shaded surface display volume rendering (SS-VRT) reconstructed images (D; white arrow).

A 32-year-old man without vascular risk factors presented with acute onset vertigo, swallowing dysfunction, and right-sided weakness. Physical examination revealed the following signs on the left side: Horner syndrome; lower motor neuron 9th, 10th, and 12th cranial nerve palsies; cerebellar limb ataxia; loss of pain and temperature on the face; and loss of fine touch and proprioception on the face, trunk, and limbs. On the right side, he had hemiplegia with loss of pain and temperature on the trunk and limbs. Brain MRI revealed acute infarct involving the left half of the medulla (Figure, A and B). CT angiogram of the head and neck vessels showed occlusion of the left vertebral artery V4 segment (Figure, C, D, and E). A diagnosis of Reinhold complete hemimedullary syndrome was made (Table). The almost similar incomplete hemimedullary syndrome of Babinski-Nageotte lacks ipsilateral hypoglossal nerve palsy. Workup for stroke etiology revealed normal glycosylated hemoglobin, lipid profile, and negative hypercoagulable, autoimmune, and vasculitis panels. Echocardiogram was normal with prolonged cardiac telemetry revealing no cardiac arrhythmias.

MORE ONLINE

Teaching Slides

links.lww.com/WNL/ C515

From the Departments of Neurology (P.K., A.J.), Neurology and Neurointerventional Surgery (S.I.H., S.J.), Neurological Institute, and Department of Neuroradiology (Z.S.), Imaging Sciences and Interventional Radiology Institute, Cleveland Clinic Abu Dhabi, UAE.

Go to Neurology.org/N for full disclosures. Funding information and disclosures deemed relevant by the authors, if any, are provided at the end of the article.

Table Description of the Medullary Vascular Syndromes

Stroke syndrome	Location in the medulla	Structures affected	Clinical features
Dejerine syndrome	Medial medulla	Hypoglossal nerve nucleus	lpsilateral tongue paralysis
		Medial lemniscus	Contralateral loss in the trunk/limbs of fine touch and proprioception
		Pyramidal tract	Contralateral hemiplegia
Wallenberg syndrome	Lateral medulla	Descending tract or nucleus of the V nerve	lpsilateral loss of pain and temperature—face
		Descending sympathetic fibers	Horner syndrome
		Spinocerebellar fibers/restiform body	Ataxia/dysmetria
		Nucleus ambiguus	9th, 10th cranial nerve palsies
		Vestibular nucleus	Nystagmus
		Lateral spinothalamic tract	Contralateral loss of pain and temperature (trunk/limbs)
Babinski-Nageotte syndrome	Lateral medulla with ventral extension	All components of Wallenberg syndrome with involvement of the pyramidal tract	All components of Wallenberg syndrome with contralateral hemiplegia
Cestan-Chenais syndrome	Lateral medulla with ventral extension	All components of Wallenberg syndrome except spinocerebellar fibers/restiform body but with involvement of the pyramidal tract	All components of Wallenberg syndrome except ipsilateral cerebellar ataxia but with contralateral hemiplegia
Reinhold syndrome	Hemimedulla	All components of Dejerine and Wallenberg syndrome	All components of Dejerine and Wallenberg syndrome

He was maintained on acetylsalicylic acid 100 mg once daily and atorvastatin 40 mg at nighttime for secondary stroke prophylaxis.

Study Funding

The authors report no targeted funding.

Disclosure

The authors report no relevant disclosures. Go to Neurology. org/N for full disclosures.

Publication History

Received by *Neurology* July 27, 2022. Accepted in final form October 27, 2022. Submitted and externally peer reviewed. The handling editor was Whitley Aamodt, MD, MPH.

Appendix Authors

Name	Location	Contribution
Praveen Kesav, MD, DM, PDF	Department of Neurology, Neurological Institute, Cleveland Clinic Abu Dhabi, Abu Dhabi, UAE	Drafting/revision of the manuscript for content, including medical writing for content; major role in the acquisition of data; study concept or design; and analysis or interpretation of data
Syed Irteza Hussain, MD	Department of Neurology and Neurointerventional Surgery, Neurological Institute, Cleveland Clinic Abu Dhabi, Abu Dhabi, UAE	Drafting/revision of the manuscript for content, including medical writing for content

Appendix (continued)

Name	Location	Contribution		
Seby John, MD	Department of Neurology and Neurointerventional Surgery, Neurological Institute, Cleveland Clinic Abu Dhabi, Abu Dhabi, UAE	Drafting/revision of the manuscript for content, including medical writing for content		
Zafar Sajjad, MD	Department of Neuroradiology, Imaging Sciences and Interventional Radiology Institute, Cleveland Clinic Abu Dhabi, Abu Dhabi, UAE	Major role in the acquisition of data		
Anu Jacob, MD, DM, FRCP	Department of Neurology, Neurological Institute, Cleveland Clinic Abu Dhabi, Abu Dhabi, UAE	Drafting/revision of the manuscript for content, including medical writing for content		

References

- Mossuto-Agatiello L, Kniahynicki C. The hemimedullary syndrome: case report and review of the literature. J Neurol. 1990; 237(3):208-212. doi: 10.1007/ bf00314596
- Krasnianski M, Neudecker S, Schluter A, Zierz S. Babinski-Nageotte's syndrome and Hemimedullary (Reinhold's) syndrome are clinically and morphologically distinct conditions. J Neurol. 2003; 250(8):938-942. doi: 10.1007/s00415-003-1118-9
- Gan R, Noronha A. The medullary vascular syndromes revisited. J Neurol. 1995; 242(4):195-202. doi: 10.1007/bf00919591



Teaching NeuroImage: Reinhold Hemimedullary Syndrome

Praveen Kesav, Syed Irteza Hussain, Seby John, et al.

Neurology 2023;100;490-491 Published Online before print December 2, 2022

DOI 10.1212/WNL.000000000201686

This information is current as of December 2, 2022

Updated Information & including high resolution figures, can be found at: **Services** http://n.neurology.org/content/100/10/490.full

References This article cites 3 articles, 0 of which you can access for free at:

http://n.neurology.org/content/100/10/490.full#ref-list-1

Subspecialty Collections This article, along with others on similar topics, appears in the

following collection(s):

All Cerebrovascular disease/Stroke

http://n.neurology.org/cgi/collection/all cerebrovascular disease strok

e Infarction

http://n.neurology.org/cgi/collection/infarction

MRI

http://n.neurology.org/cgi/collection/mri

Stroke in young adults

http://n.neurology.org/cgi/collection/stroke_in_young_adults

Permissions & Licensing Information about reproducing this article in parts (figures, tables) or in

its entirety can be found online at:

http://www.neurology.org/about/about_the_journal#permissions

Reprints Information about ordering reprints can be found online:

http://n.neurology.org/subscribers/advertise

Neurology ® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2022 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.

