


Teaching NeuroImages:

Spinal cord gray matter involvement in complex I deficiency mitochondriopathy

Mario Mascalchi, PhD
Emanuele Bartolini, MD
Andrea Bianchi, MD
Pietro Gulino, MD
Elena Procopio, MD

Correspondence to
Dr. Bartolini:
emanuele.bartolini@meyer.it

Figure Brain and cervical MRI at symptoms onset (A–C) and 7 months later (D–F)



(A) Sagittal image shows T2 hyperintensities in posterior midbrain, medulla, and central spinal cord. (B) Coronal image depicts symmetric T2 hyperintensities in subthalamus, midbrain, and spinal cord (white box). (C) Axial image at C1 level (odontoid process of the axis) shows symmetric focal T2 hyperintensities in anterior spinal cord, involving anterior horns and gray commissure. (D) Sagittal image obtained 7 months later shows persistent T2 hyperintensity of central spinal cord. (E) Coronal curved reconstruction and (F) native axial images demonstrate symmetric T2 hyperintensity circumscribed to anterior horns of cord GM.

A 5-year-old boy presented with progressive bilateral ptosis, ophthalmoplegia, spastic paraparesis, and intention tremor/dysmetria. MRI showed symmetric T2-hyperintensities in diencephalon, brainstem, and spinal gray matter (GM) (figure, A–C). Muscle biopsy disclosed increased citrate synthetase (16.32; normal <10.9) and 31% decrease of complex I activity. Mitochondrial DNA and *SURF1* gene sequencing were unrevealing. Leigh-like syndrome was diagnosed based upon the association of clinicrodiologic findings and complex I deficiency.¹ After 7 months on ubidecarenone, thiamine, riboflavin, and carnitine, ptosis and

dysmetria persisted, paraparesis remitted, and T2 hyperintensities decreased (figure, D–F).

In Leigh's original description, spinal cord white matter (WM) was affected.¹ Spinal GM involvement has only been described in association with spinal WM lesions.²

Our observation suggests a possible selective involvement of spinal GM.^{1,2}

AUTHOR CONTRIBUTIONS

Case recruitment and clinical follow-up: E. Procopio. MRI acquisitions and image interpretation: M. Mascalchi, E. Bartolini, A. Bianchi, P. Gulino. Drafting of the manuscript: M. Mascalchi, E. Bartolini.

Download teaching slides:
Neurology.org

From the Neuroradiology Unit (M.M., A.B., P.G.), Neurology Unit and Laboratories (E.B.), and Metabolic Unit (E.P.), Meyer Children's Hospital, Florence; "Mario Serio" Department of Experimental and Clinical Biomedical Sciences (M.M., A.B.), University of Florence; and IRCCS Stella Maris Foundation (E.B.), Calambrone, Pisa, Italy.

Go to Neurology.org for full disclosures. Funding information and disclosures deemed relevant by the authors, if any, are provided at the end of the article.

Critical revision of the manuscript for important intellectual content:
M. Mascalchi.

STUDY FUNDING

No targeted funding reported.

DISCLOSURE

The authors report no disclosures relevant to the manuscript. Go to Neurology.org for full disclosures.

REFERENCES

1. Baertling F, Rodenburg RJ, Schaper J, et al. A guide to diagnosis and treatment of Leigh syndrome. *J Neurol Neurosurg Psychiatry* 2014;85:257–265.
2. Huntsman RJ, Sinclair DB, Bhargava R, et al. Atypical presentations of Leigh syndrome: a case series and review. *Pediatr Neurol* 2005;32:334–340.

Neurology®

**Teaching NeuroImages: Spinal cord gray matter involvement in complex I deficiency
mitochondriopathy**

Mario Mascalchi, Emanuele Bartolini, Andrea Bianchi, et al.

Neurology 2016;87:e106-e107

DOI 10.1212/WNL.0000000000003061

This information is current as of September 5, 2016

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2016 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.



Updated Information & Services	including high resolution figures, can be found at: http://n.neurology.org/content/87/10/e106.full
Supplementary Material	Supplementary material can be found at: http://n.neurology.org/content/suppl/2016/09/01/WNL.0000000000003061.DC1
References	This article cites 2 articles, 1 of which you can access for free at: http://n.neurology.org/content/87/10/e106.full#ref-list-1
Citations	This article has been cited by 1 HighWire-hosted articles: http://n.neurology.org/content/87/10/e106.full##otherarticles
Subspecialty Collections	This article, along with others on similar topics, appears in the following collection(s): All Pediatric http://n.neurology.org/cgi/collection/all_pediatric All Spinal Cord http://n.neurology.org/cgi/collection/all_spinal_cord Mitochondrial disorders http://n.neurology.org/cgi/collection/mitochondrial_disorders Mitochondrial disorders; see Genetics/Mitochondrial disorders http://n.neurology.org/cgi/collection/mitochondrial_disorders_see_genetics-mitochondrial_disorders MRI http://n.neurology.org/cgi/collection/mri
Permissions & Licensing	Information about reproducing this article in parts (figures, tables) or in its entirety can be found online at: http://www.neurology.org/about/about_the_journal#permissions
Reprints	Information about ordering reprints can be found online: http://n.neurology.org/subscribers/advertise

Neurology® is the official journal of the American Academy of Neurology. Published continuously since 1951, it is now a weekly with 48 issues per year. Copyright © 2016 American Academy of Neurology. All rights reserved. Print ISSN: 0028-3878. Online ISSN: 1526-632X.

